



## MATERIAL SAFETY DATA SHEET

[According to Regulation (EC) No 1907/2006 of the European Parliament]

### Section 1: Identification of the preparation and of the company

#### 1.1. Identification of the substance or preparation

Product name  
Product code

NAIL HARDNER  
IF OD 4004

#### 1.2. Use of substance/preparation

Nail Conditioner

#### 1.3. Company/ undertaking identification

Manufacturer:

Silcare® SP. Z O. O. SP. K.  
Ul. Kostrzynska 1, 66-400  
Gorzow Wlkp. Poland  
+48 95 722-75-74  
www.silcare.com  
[technolog03@silcare.com](mailto:technolog03@silcare.com)

Telephone:

Website:

e-mail:

#### 1.4. Emergency telephone

112 (emergency number)

### Section 2: Hazards Identification

#### 2.1. Classification of the substances or composition

##### Classification according to WE/1272/2008 (CLP):

Flam Liq. 2	H225	Highly flammable liquid and vapour
Eye Irrit. 2	H319	Causes serious eye irritation
STOT SE 3	H336	May cause drowsiness or dizziness

##### GHS/CLP Classification



Signal word: **Danger**

##### Hazard statements:

Eye Irrit. 2	H319	Causes serious eye irritation
Flam Liq.2	H225	Highly flammable liquid and vapour
STOT SE 3	H336	May cause drowsiness or dizziness
	EUH066	Repeated exposure May cause skin dryness or cracking

##### Precautionary statements:

P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P243	Take precautionary measures against static discharge.
P305+P351+P313	IF IN EYES: Rinse cautiously with water for several minutes. Get medical advice/attention.

**MATERIAL SAFETY DATA SHEET**

Product Name: Nail Hardner  
Product code: IF OD 4004 Version: 4.2.4./EN Former Date: 29.07.2013  
Manufacturer: Silcare® SP. Z O. O. SP. K.  
Address: Kostrzynska 1, 66-400 Gorzow Wlkp., Poland Telephone: +48 95 722-75-74

**2.3. Other hazardous**

Not determined

**Section 3: Composition/ Information of ingredients****3.1. Substance**

Not include

**3.2. Composition**

Nitrocellulose with nitrogen content <12,2% and at a concentration <20% in a blend of solvents

Chemical Identity and concentration range	CAS No.	EINECS No.	GHS/CLP
Ethyl Acetate 35.0-45.0%	141-78-6	205-500-4	Flam. Liq. 2 H225; Eye Irrit. 2 H319; STOT SE 3 H336; EUH066
Butyl Acetate 25.0-35.0%	123-86-4	204-658-1	Flam. Liq. 3 H226; STOT SE 3 H336; EUH066
Nitrocellulose 10.0-15.0%	9004-70-0	N/E	Flam. Liq. 1 H224
Isopropyl Alcohol 5.0-7.0%	67-63-0	200-661-7	Flam. Liq. 2 H225; Eye Irrit. 2 H319; STOT SE 3 H336;

Full text of H-phrases is provided in section 16.

**Section 4: First aid measures****4.1. Description of first aid measures****First aid for skin:**

Remove contaminated clothing and wash before reuse. Remove and destroy contaminated shoes. Flush with plenty of water.

**First aid for eye:**

Immediately wash the eyes with plenty of water for at least 10 min holding the eye open. Obtain medical attention urgently.

**First aid for ingestion:**

Get medical attention IMMEDIATELY.

**First aid for inhalation:**

Remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed****Effects of overexposure:**

Cause eye irritation. Harmful if swallowed. May cause nose and throat irritation. Causes skin irritation. May affect the brain or nervous system, causing dizziness, headache or nausea. Harmful if inhaled.

**Other effects of overexposure may include:**

Narcosis, conjunctivitis, loss of coordination, vomiting, lacrimation, redness and swelling of eyes, difficulty with speech, reduced visibility, abdominal pain, swelling and redness of skin, fatigue, cough, dermatitis, drowsiness, unconsciousness.

## MATERIAL SAFETY DATA SHEET

Product Name: Nail Hardner  
Product code: IF OD 4004 Version: 4.2.4./EN Former Date: 29.07.2013  
Manufacturer: Silcare® SP. Z O. O. SP. K.  
Address: Kostrzynska 1, 66-400 Gorzow Wlkp., Poland Telephone: +48 95 722-75-74

### **Primary Route(S) of entry:**

Inhalation, skin contact, eyes.

### **Medical conditions that can be aggravated:**

No information available.

### **Chronic health hazards:**

#### **Repeated Overexposure to this product may cause:**

Lung damage, liver abnormalities, kidney damage, central nervous system damage, blood effects.

#### **Notice:**

Reports have associated repeated and prolonged overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents of this package may be harmful or fatal.

### **4.3. Indication of any immediate medical attention and special treatment needed**

No further relevant information available

## Section 5: Fire-fighting Measures

### **5.1. Extinguishing media:**

Foam, carbon dioxide or dry chemical

### **5.2. Special hazards arising from the substance or mixture:**

Water may be ineffective in fighting fire. If water is used to cool closed containers to prevent pressure build-up, fog nozzles are preferred. Full protective equipment, including self-contained breathing apparatus is needed to protect fire-fighters from exposure to coatings hazardous ingredients and hazardous decomposition products.

### **5.3. Advice for fire-fighters:**

During emergency conditions, overexposure to decomposition products may cause a health hazard; symptoms may not be immediately apparent. Obtain medical attention.

## Section 6: Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition. Wear appropriate safety equipment as listed in Section 8. Absorb on inert material and dispose of as below.

### **6.2. Environmental precautions**

Prevent further leakage or spillage. Do not discharge into the drains/ surface waters/ groundwater.

### **6.3. Methods and material for containment and cleaning up**

Dispose in accordance with federal, state and local regulations. Incineration is the preferred method of disposal.

### **6.4. Reference to other sections**

Disposal of the product - Section 13  
Personal protection – Section 8

**MATERIAL SAFETY DATA SHEET**

Product Name: Nail Hardner  
Product code: IF OD 4004 Version: 4.2.4./EN Former Date: 29.07.2013  
Manufacturer: Silcare® SP. Z O. O. SP. K.  
Address: Kostrzynska 1, 66-400 Gorzow Wlkp., Poland Telephone: +48 95 722-75-74

**Section 7: Handling and storage****7.1. Precautions for safe handling**

When using, do not eat, drink or smoke. Take off contaminated clothing immediately. Wash hands before breaks and immediately after handling the product. Provide sufficient air exchange and/ or exhaust in work rooms.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in well-ventilated area. Keep containers closed when not in use. Store away from ignition sources. All equipment should be grounded. Avoid strong oxidizing agents, store in a clean, dry area. All precautions must be observed. Empty container may retain product residues (vapour or liquid)

**7.3. Specific end use(s)**

No data.

**Section 8: Exposure controls/ personal protection****8.1. Control parameters**

Chemical Identity/ CAS		NDS [mg/m <sup>3</sup> ]	NDSch [mg/m <sup>3</sup> ]	NDSP	DSB
Etyl Acetate	141-78-6	200	950	-	-
Butyl Acetate	123-86-4	200	950	-	-
Isopropyl Alcohol	67-63-0	900	1200	-	-

**8.2. Exposure controls**

Good personal hygiene practices are required at all times when handling chemicals. These practices include, but are not limited to washing when safety equipment is removed, at the end of each shift when going on breaks and especially if contamination occurs

**8.2.1. Occupational exposure controls*****Respiratory protection***

Wear an appropriate, properly fitted respirator (NIOSH/ MSHA approved) during application and handling unless air monitoring demonstrates vapour/ mist levels below applicable limits. Follow respirator manufacturers recommendations for selection and use.

***Hand protection***

Chemical resistant protective gloves (such as Neoprene or Butyle Rubber) should be worn when handling this product. Check with glove manufacturer to determine proper glove type)

***Eye protection***

Splash-proof chemical goggles should be worn.

***Ventilation***

Sufficient ventilation must be provided to maintain airborne concentrations below Limits as listed in Section 8.

***Other protective equipment***

Impervious clothing and boots should be worn. Eye bath and safety shower should be provided.

## MATERIAL SAFETY DATA SHEET

Product Name: Nail Hardner  
Product code: IF OD 4004 Version: 4.2.4./EN Former Date: 29.07.2013  
Manufacturer: Silcare® SP. Z O. O. SP. K.  
Address: Kostrzynska 1, 66-400 Gorzow Wlkp., Poland Telephone: +48 95 722-75-74

### 8.2.2. Environmental exposure controls

Any reject of product in the sewer stream must be avoided

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Viscous liquid	
<b>Colour</b>	Purple	
<b>Odor &amp; Odor Threshold</b>	Fruity (Esters)	
<b>Olfactive Threshold</b>	50 ppm (Ethyl Acetate)	
<b>Melting Point</b>	-84°C (Ethyl Acetate)	
<b>Boiling Point</b>	77°C at 1013 hPa (Ethyl Acetate)	
<b>Boiling Range</b>	77 to 130°C	
<b>Specific Gravity</b>	0.960-1.000	
<b>Vapor Pressure (hPa)</b>	100 (20°C) (Ethyl Acetate)	
<b>Vapor Density (Relative: Air=1)</b>	3.04 (Ethyl Acetate)	
<b>Flash Point</b>	-5°C	
<b>Auto-ignition Temperature</b>	460°C	
<b>Flammable Limit(%v/v)</b>	<u>Upper</u>	<u>Lower</u>
Ethyl Acetate	11.0	2.2
Buthyl Acetate	7.6	1.7
Isopropanol	12.0	1.8
<b>PH</b>	Not applicable	
<b>Solubility In Water (20°C)</b>	Insoluble	
<b>Water/ Octanol Distribution Coeff</b>	Log Kow=0.60 (Ethyl Acetate)	
<b>Evaporation Rate</b>	Slower than ether	
<b>Viscosity (Brookfield)</b>	120 to 220 mPas	

### 9.2. Other information

No data.

## Section 10: Stability and reactivity

### 10.1. Reactivity:

Material is stable under non-emergency conditions.

### 10.2. Chemical stability:

Material will not undergo hazardous polymerization.

### 10.3. Possibility of hazardous reactions:

Not known.

### 10.4. Conditions to avoid:

Heat, sparks, open flame.

### 10.5. Incompatible materials:

Sodium hydroxide, nitric acid, oxidizers, acids, alkali, metal, amines.

### 10.6. Hazardous decomposition products:

Methane, oxides of nitrogen. Carboxylic acids, various hydrocarbons, oxides of carbon, aldehydes, hydrogen cyanide, acids.

**MATERIAL SAFETY DATA SHEET**

Product Name: Nail Hardner  
Product code: IF OD 4004 Version: 4.2.4./EN Former Date: 29.07.2013  
Manufacturer: Silcare® SP. Z O. O. SP. K.  
Address: Kostrzynska 1, 66-400 Gorzow Wlkp., Poland Telephone: +48 95 722-75-74

**Section 11: Toxicological information****11.1. Information on toxicological effects:**

Ingredient	LD50 (Oral, Rat)	LC50 (Inhal, Rat)	LC (Dermal, Rabbit)
Butyl acetate	14000 mg/kg	2000 ppm	-
Ethyl acetate	11300 mg/kg	1600 ppm (8h)	-
Isopropyl alcohol	5840 mg/kg	16000 ppm (8h)	13000 mg/Kg

**Skin contact:** Prolonged contact can cause crack in skin.  
**Eye contact:** Can cause irritation of the conjunctive. Can cause injury of the cornea.  
**Ingestion:** Important ingestion can cause nausea and a great narcosis with weakness, drowsiness and loss of consciousness.  
**Inhalation:** Can cause irritation of the nose and the throat. At high concentration can cause narcosis.  
**Sensitization** N/DA  
**Mutagenicity** In accordance with 29CFR1910.1200, this product contains no ingredients listed by NTP, IRAC or OSHA as carcinogenic  
**Sub-chronic Toxicity** N/DA

**Section 12: Ecological Information****12.1. Toxicity**

Any reject of product in the sewer stream must be avoided  
Water hazard class WGK1: Slightly hazardous for water.

**12.2. Persistence and degradability**

No data.

**12.3. Bioaccumulative potential**

No data.

**12.4. Mobility in soil**

No data.

**12.5. Results of PBT assessment**

No data.

**12.6. Other adverse effects**

Not tested.

**Section 13: Disposal considerations****13.1. Waste treatment methods**

Incinerate in a furnace where permitted under national and local regulations

**MATERIAL SAFETY DATA SHEET**

Product Name: Nail Hardner  
Product code: IF OD 4004 Version: 4.2.4./EN Former Date: 29.07.2013  
Manufacturer: Silcare® SP. Z O. O. SP. K.  
Address: Kostrzynska 1, 66-400 Gorzow Wlkp., Poland Telephone: +48 95 722-75-74

**Section 14: Transport information****14.1. UN number**

UN 1266

**14.2. UN proper shipping name**

PERFUMERY PRODUCTS (Source of danger: Ethyl acetate, Butyl acetate, Nitrocellulose, Isopropyl alcohol)

**14.3. Transport hazard class(es)**

3

**14.4. Packing group**

II

**14.5. Environmental hazards**

Slightly hazardous for water.

**14.6. Special precautions for user**

Limited Quantity: 5l/30kg (gross)

Certified packaging: Internal packaging: metal, glass, plastic; External packaging: Carton 4G

**Section 15: Regulatory information**

Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP and ODS's), as defined by the U.S. Clean Air Act: This product does not contain any ODS's (Ozone Depleting Substances).
Clean Water Act: Priority Pollutant	This product contains no chemicals listed under the U. S. Clean Water Act Priority Pollutant List.
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other applications as an indirect food additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its hazards are: <ul style="list-style-type: none"><li>• Immediate (acute) health hazard</li><li>• Delayed (chronic) health hazard</li><li>• Reactive hazard</li></ul>
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261).
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances.
SARA Title III: Section 302 (RQ)	This product contains the following chemicals regulated under Section 302 as extremely hazardous chemical for emergency release notification (" CERCLA" List).
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are: <ul style="list-style-type: none"><li>• Immediate (acute) health hazard</li><li>• Delayed (chronic) health hazard</li><li>• Reactive hazard</li></ul>
SARA Title III: Section 313:	This product contains following chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:
TSCA Section 8(b): Inventory: TSCA Significant New Use Rule:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture notification requirements. None of the chemicals listed have a SNUR under TSCA.

## MATERIAL SAFETY DATA SHEET

Product Name: Nail Hardner	Version: 4.2.4./EN	Former Date: 29.07.2013
Product code: IF OD 4004		
Manufacturer: Silcare® SP. Z O. O. SP. K.		
Address: Kostrzynska 1, 66-400 Gorzow Wlkp., Poland	Telephone: +48 95 722-75-74	

### International Regulations:

EINECS: European Inventory:	<p style="text-align: center;">Nail Conditioner:</p> <p><b>Hazard statements:</b> <i>H225 Highly flammable liquid and vapour, H319 Causes serious eye irritation; H336 May cause drowsiness or dizziness</i></p> <p><b>Precautionary statements:</b> <i>P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking; P243 Take precautionary measures against static discharge; P305+P351+P313 IF IN EYES: Rinse cautiously with water for several minutes. Get medical advice/attention.</i></p>
-----------------------------	--

## Section 16: Other information

### Full range of H-Phrases from Section 2 and 3.

Flam. Liq. 1	H224	Extremely flammable liquid and vapour
Flam. Liq. 2	H225	Highly flammable liquid and vapour
Flam. Liq. 3	H226	Flammable liquid and vapour
Eye Irrit. 2	H319	Causes serious eye irritation.
STOT SE 3	H336	May cause drowsiness or dizziness
	EUH066	Repeated exposure may cause skin dryness or cracking.

### P-Phrases

P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P243	Take precautionary measures against static discharge.
P305+P351+P313	IF IN EYES: Rinse cautiously with water for several minutes. Get medical advice/attention.

### Disclaimer

While Silcare® believes that the data contained herein are accurate and derived from qualified sources, the data are not to be taken as a warranty or representation for which Silcare® assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data information must be determinate by the user to be in accordance with applicable Federal, state and local laws regulations.

Silcare® requires all Customers who receive this Security Data Record to study it carefully in order to be informed of any dangers presented by the product. As far as security is concerned, the Customer should:

- Inform his employees, agents and sub-contractors of information contained in this form.
- Supply one copy of this form to each one of his own Customers for this product.
- Ask for these same Customers to inform in turn their own Employees and Customers.

THE ABOVE INFORMATION MAY BE BASED IN PART ON INFORMATION PROVIDED BY COMPONENT SUPPLIERS AND IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OF THESE DATA. THE RESULTS TO BE OBTAINED FROM THE USE OF THE MATERIAL, OR THE HAZARDS CONNECTED WITH SUCH USE, SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, AND SINCE DATA MADE AVAILABLE SUBSEQUENT TO THE DATE HEREOF MAY SUGGEST MODIFICATION OF THE INFORMATION, WE ASSUME NO RESPONSIBILITY FOR THE RESULT OF ITS USE. THIS INFORMATION AND MATERIAL IS FURNISHED ON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS/HER OWN DETERMINATION AS TO THE SUITABILITY OF THE MATERIAL FOR HIS/HER PARTICULAR PURPOSE AND ON THE CONDITION THAT HE/SHE ASSUME THE RISK OF HIS/HER USE THEREOF.